

## **CITY OF CHICO PERMIT CONDITIONS**

### **AUTHORITY:**

Any load traveling within the City of Chico right-of-way that exceeds the limits specified in the California Vehicle Code "Division 15. SIZE, WEIGHT, AND LOAD," and also under "Chico Municipal Code Title 10," may be required to apply for an Oversized Load Permit.

Under the appropriate authority of Division 15, Chapter 5, Article 6 of the California Vehicle Code ("C.V.C"), the City of Chico may, at its discretion, issue special permits to operate or move a vehicle or combination of vehicles or special mobile equipment of a size or weight of vehicle or load exceeding the maximums specified in the C.V.C. Except as specifically provided herein, the requirements of the C.V.C., including vehicle registration requirements, signing (C.V.C. 27900) and other applicable laws, must be complied with in all particulars.

### **OVERSIZE LOAD PERMIT NEEDED IF:**

1. The total outside width of any vehicle or its load exceeds 8 feet 6 inches (102"), or
2. The height of any vehicle or its load exceeds 14 feet, or
3. The length of any single vehicle or its load exceeds 40 feet, except as specified in CVC 35400(b) or the length of a combination vehicle or its load exceeds 65 feet, or
4. The maximum gross weight is over 80,000 pounds, the single axle weight is over 20,000 pounds, or the tandem axle weight is over 34,000 pounds.

## GENERAL CONDITIONS

1. LIMITS OF AUTHORIZATION: This permit is valid only on roads and highways under the jurisdiction of City of Chico.
2. This permit is not valid on posted city highways and bridges. This permit is valid only on the route shown on the map included in Attachment A.
3. PARKING OF VEHICLES: Permittee shall not, during restricted hours or at any other time, stand, or park the permitted vehicle or vehicles on any city highway. It shall continue to move, using reasonable care and precaution to prevent traffic disruption, to the nearest suitable spot en route where the load may be parked for the duration of restricted period.
4. OPERATING HOURS: This permit is effective only within the period stated on the face of the permit. Movement is restricted to daylight hours, or as indicted on face of this permit. Moving is **prohibited** from 7:30 a.m. to 8:30 a.m. and 4:00 p.m. to 6:00 p.m. No moving during foggy or rainy weather and the following days:

Fourth of July	Labor Day	Thanksgiving
Christmas	New Year's Day	Memorial Day
5. PERMIT TO BE CARRIED ON VEHICLE: The permit is valid only when it is carried on the permitted vehicle.
6. PERMIT SUBJECT TO INSPECTION: The permit is the property of City of Chico Department of Public Works and must be surrendered upon demand to any law enforcement officer or employee of the City of Chico Department of Public Works.
7. Loads which will travel outside of Chico city limits shall have permits from the State of California and/or the County of Butte.
8. **Permits applications are highly recommended to be submitted at least three (3) business days in advance of permit start date required to allow for adequate time for processing.**

## SIGNS

1. Lettering shall be a 10-inch minimum height with a 1-5/8-inch minimum brush stroke, and a minimum 1-inch margin all around. All signs shall be black letters on yellow background, mounted at least 18 inches above the road surface front and rear. Signs shall be neat, clean, legible, mounted securely, and visible from straight ahead or behind and up to 45-degrees on either side.

## OVER-LENGTH

1. SIGNS: Signs reading "LONG LOAD" shall be displayed ahead and behind the load, respectively. IF the load is "**NOT**" over 85 feet long an "**OVERSIZED LOAD**" sign may be substituted. Signs shall conform to the above section labeled "**SIGNS.**"
2. PILOT CARS: Pilot cars are required fore and aft when load is 85 feet or longer. The pilot car shall display signs as set forth in Item 1 above.
3. SPECIAL CONDITIONS: Any load 135' feet or over may be subject to additional special conditions by the Department of Public Works.
4. KEEP TO THE RIGHT OF CENTERLINE: The load must always be kept to the right of the highway centerline at all times and must stay off shoulders except when entering and leaving the highway, or when necessary to allow trailing traffic to pass on narrow or winding roads.

## OVER-WIDTH

1. SIGNS - If a vehicle or load is over eight feet and six inches (8'-6") wide, a warning sign reading "WIDE LOAD" or "EXCESSIVE WIDTH" shall be displayed on front and in the rear of vehicle load. An "OVERSIZE LOAD" sign may be substituted. Signs shall conform to the above section labeled "SIGNS."
2. PILOT CARS: Any load over twelve feet (12') in width shall have a pilot car. Whenever the equipment or load is so over-width that it cannot be kept continuously to the right of the center of the particular road being traversed, pilot cars or flagmen shall be in attendance front and rear at all times, displaying a red flag and appropriate warning signs.
3. SPECIAL CONDITIONS: Any load over fourteen feet (14') in width may be subject to additional special conditions by the Department of Public Works.

## OVER-HEIGHT

1. IMPAIRED VERTICAL CLEARANCE: It shall be the responsibility of the Permittee to check all underpasses, bridges, overhead wires, or other structures for impaired vertical clearance and to bypass or arrange clearance at such locations prior to time movement is commenced.
2. OVERHEAD LINES: Permittee must notify the owner of all overhead lines subject to disturbance or damage by his operation at least twenty-four (24) hours in advance of work and mutually agreeable arrangement must be made between the parties involved.
3. SNOOTER AND ROOF BOARDS: Snooter and Roof Boards are required from sixteen feet (16') high to above the highest point of load.
4. ROOF RIDERS: Any load in excess of twenty feet (20') in height shall have a roof rider.

5. PILOT CARS: A pilot car shall be provided for all loads sixteen feet (16') or higher.
6. SPECIAL CONDITIONS: Any load sixteen feet (16') or over may be subject to additional special conditions by the Department of Public Works.

### **OVERHANG**

1. ALLOWABLE OVERHANG: Any overhang in excess of thirty feet (30') may be subject to additional special conditions by the Department of Public Works.

### **OVERWEIGHT**

1. ALLOWABLE OVERWEIGHT: Axle weights shall not exceed those shown on the face of the permit.

### **HOUSE MOVING**

1. HOUSE MOVING: Loads exceeding twelve feet (12') in width must operate in accordance with operating hours outlined within the GENERAL CONDITIONS, unless otherwise authorized.

### **LIABILITY**

LIABILITY FOR DAMAGES: The Permittee is responsible for all liability for personal injury or property damage which may occur through work herein permitted, and in the event any claim is made against the City of Chico or any department, officer, or employee thereof, though, by reason of, or in connection with such work, Permittee shall defend, indemnify, and hold each of them harmless from such claims. No permit will be issued for any purpose unless and until the above-named Permittee files with the Department of Public Works a certificate of insurance in the form of minimum \$1,000,000 required by said Department, unless specifically exempted on the face hereof. Said insurance shall be primary to any other insurance available to the City. The requirement that insurance be filed does not apply in the event the Permittee is a governmental agency which derives its revenue by taxation. Permittee is responsible for any damage to city roads, highways, bridges, culverts, signs, or other properties as a result of this moving operation.

This permit is revocable/void at any time that the above conditions are violated.

VOID PERMIT: This permit is null and void and hereby declared non-existent if any portion, part, or section is illegible, altered or attempt to alter is apparent, or if it is not signed by an authorized representative of the City of Chico.

### **INSURANCE**


All applicants must supply Certificates of Insurance evidencing the following coverages:

All certificates of insurance must name City of Chico as Certificate Holder and evidence the following: General Liability \$1,000,000 each occurrence and Auto Insurance for each occurrence \$ 1,000,000. Auto Insurance must cover: Comprehensive form, Owned, and

Non-owned. The policy effective/expiration date must be current, and upon expiration of the policy, a current copy should be mailed to the City of Chico each year thereafter. If the certificate holder is an Additional Insured, the policy(ies) must be endorsed. Once Subrogation is waived, subject to the terms and conditions of this policy, certain policies may require an endorsement. All certificates of insurance must include notice of cancellation language and/or endorsements either thirty (30) day or ten (10) day notice for material change in coverage. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

## STAA RESTRICTIONS

① SB EATON OFFRAMP  
TO EB EATON



## CITY OF CHICO - TRUCK ROUTE MAP

## Bridge List Item Descriptions

**BRIDGE NUMBER** (Item 8): The official structure number assigned by Caltrans. Clicking on the bridge number will launch a google map of the bridge.

**DISTRICT**: Caltrans state highway district number.

**FEATURE INTERSECTED** (Item 6): A description of the feature intersected by the structure (streams, cross streets, railways, etc.).

**FACILITY CARRIED** (Item 7): A description of the facility carried by the structure deck (roadway, railway, etc.).

**LOCATION** (Item 9): A narrative description of the structure location.

**NBI BRIDGE**: "NBI Bridge" indicates the structure meets the NBI definition of a bridge. "NBI Under" indicates that the structure does not meet NBI definition of a bridge. However, a roadway under the structure is part of the Federal Aid System. "Non NBI" indicates that the structure does not meet the NBI definition of a bridge.

**SD**: Indicates if the bridge is structurally deficient.

**SUFF RATING**: FHWA Bridge sufficiency rating. If the structure does not carry highway traffic, it will not have a sufficiency rating.

**BRIDGE HEALTH RATING**: The Bridge Health Rating identifies the structural condition of the bridge or culvert based on condition ratings. The listed rating for Good, Fair, or Poor identifies the overall condition based on the lowest condition rating of the deck, superstructure or substructure for bridges and the culvert condition rating identifies the overall condition of the culvert.

**YEAR BUILT** (Item 27): Year of original construction.

**LANES** (Item 28): Number of lanes on the deck of the structure.

**ROAD WIDTH** (Item 51): Bridge deck roadway width, curb to curb (m).

**LENGTH** (Item 49): Length of structure (m).

**ADT** (Item 29): Average Daily Traffic on the deck of the structure. This data should not exceed 10 years old as determined by ADT YEAR. Tabulated ADT and ADT YEAR will display with colored font once data reaches 9 years old or greater.

**ADT YEAR** (Item 30): The year represented by the Average Daily Traffic.

**FEDERAL AID SYSTEM**: On indicates the functional classification for the primary roadway on the structure is a federal aid highway. Off indicates the functional classification for the primary roadway on the structure is not on a federal aid highway. On/Off System classifications should be verified by using the California Road System (CRS) maps.

**NHS HIGHWAY** (Item 104): On indicates the roadway is part of the National Highway System. Off indicates the roadway is not part of the National Highway System. On/Off classifications should be verified by using the California Road System (CRS) maps.

**PERMIT RATING**: Permit ratings are shown for information only. They should not be used for permit issuance. The permit rating is usually a string of five characters showing permit capacity for 5, 7, 9, 11, and 13 axle vehicles. Where a single character is shown, it represents an "administrative" rating.

P - Purple permit capacity

G - Green permit capacity = 0.867 x Purple

O - Orange permit capacity = 0.667 x Purple

X - No permit capacity

# Local Agency Bridge List

February 2024

Structure Maintenance & Investigations

## Butte County District 03

### City of Chico

PO Box 3420  
Chico, CA 95927

[Click to update contacts](#) **Primary Contact:** David Giongco, Deputy Public Works Director / david.giongco@chicoca.gov - (530) 879-6901  
[Click to update ADT data](#) **Bridge Contact:** [bridge contact name?], [title?] / [email?] - [phone?]

[Click to Update Contact Information](#)

Bridge Number	Feature Intersected	Facility Carried	Location	NBI Bridge	SD	Suff Rating	Bridge Health Rating	Year Built	Lanes	Length	Road Width (m)	ADT	ADT Year*	On/Off Fed Aid System	On/Off NHS Hwy	Permit Rating
<a href="#">12C0056</a>	COMANCHE CREEK	MIDWAY ROAD	0.1 MI S PARK AVE	NBI Bridge		57.0	Fair	1952	3	33	12.8	16900	2018	On	Off	PPPPP
<a href="#">12C0061</a>	LITTLE CHICO CREEK	BRUCE ST	AT SOUTH OF HUMBOLDT AVE	NBI Bridge		76.7	Fair	1961	2	17	8.5	1058	2018	Off	Off	PPPPP
<a href="#">12C0062</a>	LITTLE CHICO CREEK	BOUCHER STREET	JUST S OF HUMBOLDT AVE	NBI Bridge		27.9	Fair	1920	1	20	5.2	1161	2015	Off	Off	XXXXX
<a href="#">12C0064</a>	LINDO CHANNEL	LONGFELLOW AVE	BTWN E 1ST ST & MANZANITA	NBI Bridge		63.7	Fair	1965	2	54	9.1	15546	2018	On	Off	PPPPP
<a href="#">12C0066</a>	LINDO CHANNEL	GUYNN AVE	N OF W LINDO AVE	NBI Bridge		35.7	Fair	1930	1	27	5.2	669	2017	Off	Off	XXXXX
<a href="#">12C0106</a>	LITTLE CHICO CREEK	BRUCE RD	0.5 MI S HUMBOLDT RD	NBI Bridge		59.7	Fair	1969	2	21	8.5	10600	2018	On	Off	PPPPP
<a href="#">12C0114</a>	DEAD HORSE SLOUGH DIVRSN	HUMBOLDT ROAD	BTWN FOREST & EL MONTE	NBI Bridge	SD	54.5	Poor	1957	2	29	12.1	3500	2016	On	Off	PPPPP
<a href="#">12C0201</a>	LITTLE CHICO CREEK	PARK AVE	0.1 MI N OF 11TH ST	NBI Bridge		54.3	Fair	1912	4	22	18.1	18400	2018	On	On	XXXXX
<a href="#">12C0203</a>	LINDO CHANNEL	ESPLANADE	0.15 MI N OF W 11TH AVE	NBI Bridge		44.3	Fair	1925	4	56	15.8	24100	2018	On	On	PPPPP
<a href="#">12C0204</a>	MUD CREEK	ESPLANADE	NORTH OF NORD HWY	NBI Bridge		97.5	Good	1963	2	66	12.1	1434	2019	On	Off	PPPPP
<a href="#">12C0205</a>	BIG CHICO CREEK	MAIN STREET	0.15 MI N 2ND ST	NBI Bridge		65.0	Good	1912	4	16	17.6	24621	2010	On	On	XXXXX
<a href="#">12C0212</a>	BIG CHICO CREEK	MANZANITA AVE	BTW VALLOMBROSA & CENTENNIAL 0.4 MI NW HUMBOLDT RD	NBI Bridge	SD	59.8	Poor	1974	2	28	13.4	12000	2018	On	Off	PPPPP
<a href="#">12C0216L</a>	LTL CHICO - BUTTE CR DV CH	SKYWAY	0.4 MI NW HUMBOLDT RD	NBI Bridge		77.5	Good	1958	2	34	9.7	11000	2018	On	Off	PPPPP
<a href="#">12C0216R</a>	LTL CHICO - BUTTE CR DV CH	SKYWAY AVENUE	0.4 MI NW HUMBOLDT ROAD	NBI Bridge		71.0	Fair	1978	2	35	11.2	11000	2018	On	Off	PPPPP
<a href="#">12C0236</a>	LITTLE CHICO CREEK	DAYTON RD	AT ORANGE ST	NBI Bridge		54.3	Fair	1940	2	18	7.9	6112	2015	Off	Off	GGG GG
<a href="#">12C0237</a>	SYCAMORE CREEK	COHASSET RD	0.2 MI N LASSEN AVE	NBI Bridge		73.4	Fair	1956	2	74	21.3	10200	2018	On	Off	PPPPP
<a href="#">12C0272</a>	PLEASANT VALLEY DITCH	EATON ROAD	1.3 MI EAST OF ST ROUT 99	NBI Bridge		90.6	Good	1962	2	24	9.7	6015	2015	On	Off	PPPPP
<a href="#">12C0273</a>	LINDO CHANNEL	MANGROVE AVE	BTWN E 10TH & COHASSET	NBI Bridge		66.0	Fair	1963	4	47	17.0	22000	2015	On	On	PPPPP
<a href="#">12C0274</a>	LINDO CHANNEL	E 5TH AVE (CHICO)	AT E. LINDO AVENUE	NBI Bridge	SD	51.2	Poor	1970	2	39	12.1	7848	2018	On	Off	PPPPP
<a href="#">12C0275</a>	LINDO CHANNEL	MANZANITA AVE	BTW EAST AVE & HOOKER OAK	NBI Bridge		78.7	Fair	1968	2	39	14.6	11900	2018	On	Off	PPPPP
<a href="#">12C0276</a>	BIG CHICO CREEK	WARNER ST	BTW 1ST ST & LEGION AVE	NBI Bridge		50.8	Fair	1938	2	25	7.3	7600	2018	On	Off	PPPPP
<a href="#">12C0277</a>	BIG CHICO CREEK	VALLOMBROSA AVE	BTW 1ST ST & MEMORIAL WY	NBI Bridge		55.2	Fair	1949	2	19	11.2	15000	2018	On	Off	PPPPP
<a href="#">12C0278</a>	BIG CHICO CREEK	MANGROVE AVE	BTW 3RD & VALLOMBROSA AVE	NBI Bridge		95.2	Good	1958	6	17	23.7	18700	2018	On	On	PPPPP
<a href="#">12C0279</a>	LITTLE CHICO CREEK	IVY ST	BTWN 9TH & 11TH STS	NBI Bridge		66.5	Fair	1958	2	24	8.2	3500	2018	On	Off	PPPPP
<a href="#">12C0280</a>	LITTLE CHICO CREEK	PINE ST	BTW HUMBOLDT AV & 12TH ST	NBI Bridge		79.2	Good	1961	2	23	9.1	4792	2018	On	On	PPPPP

\*ADT Year must not exceed 10 years old.  
[Click to update ADT data](#)

Data presented herein is strictly informational and should not be utilized to determine funding eligibility.

localbrlist.rdf - April 2018



# Local Agency Bridge List

February 2024

Structure Maintenance & Investigations

## Butte County District 03

### City of Chico

PO Box 3420  
Chico, CA 95927

[Click to Update Contact Information](#)

[Click to update contacts](#) Primary Contact: David Giongco, Deputy Public Works Director / david.giongco@chicoca.gov - (530) 879-6901  
[Click to update ADT data](#) Bridge Contact: [bridge contact name?], [title?] / [email?] - [phone?]

Bridge Number	Feature Intersected	Facility Carried	Location	NBI Bridge	SD	Suff Rating	Bridge Health Rating	Year Built	Lanes	Length	Road Width (m)	ADT	ADT Year*	On/Off Fed Aid System	On/Off NHS Hwy	Permit Rating
<a href="#">12C0281</a>	LITTLE CHICO CREEK	CYPRESS ST	BTW HUMBOLDT AV & 12TH ST	NBI Bridge		67.0	Fair	1961	2	25	9.1	4792	2018	On	On	PPPPP
<a href="#">12C0298</a>	LITTLE CHICO CREEK	FOREST AVE	JUST S OF HUMBOLDT RD	NBI Bridge		82.0	Fair	1981	4	28	19.5	14600	2018	On	Off	PPPPP
<a href="#">12C0299</a>	S FORK DEAD HORSE SLOUGH	BRUCE ROAD	N/O 6TH ST	NBI Bridge		84.7	Fair	1981	4	13	21.4	14500	2015	On	Off	PPPPP
<a href="#">12C0311</a>	MUD CREEK	NORD HWY	3.4 MI E/O HAMILT NORD CA	NBI Bridge		67.4	Good	1962	2	78	7.9	3200	2015	On	Off	PPPPP
<a href="#">12C0320</a>	SYCAMORE CREEK	HICKS LANE	0.5 MI N/O EATON RD	NBI Bridge		76.0	Fair	1962	2	69	7.9	3000	2018	On	Off	PPPPP
<a href="#">12C0328</a>	LITTLE CHICO CREEK	POMONA ROAD	0.4 MI SE/O MILLER AVE	NBI Bridge		46.3	Fair	1917	2	20	6.2	1100	2000	Off	Off	0 0 0 0 0
<a href="#">12C0335</a>	LITTLE CHICO CREEK	CHESTNUT ST	AT W 9TH ST	NBI Bridge		85.8	Fair	1980	2	24	12.2	1700	2000	Off	Off	PPPPP
<a href="#">12C0336</a>	LITTLE CHICO CREEK	SALEM STREET	0.1 MI N OF 10TH ST	NBI Bridge		64.4	Fair	1916	2	20	6.8	5200	2000	Off	Off	PPPPP
<a href="#">12C0337</a>	LITTLE CHICO CREEK	BROADWAY ST	S OF 9TH ST	NBI Bridge		71.5	Fair	1920	2	15	10.5	4000	2000	Off	Off	G G G G G
<a href="#">12C0338</a>	LITTLE CHICO CREEK	MILL ST	0.1 MI N OF 12TH ST	NBI Bridge		51.3	Fair	1950	2	17	7.3	2500	2000	Off	Off	O XXXX
<a href="#">12C0363</a>	LITTLE CHICO CREEK	WALNUT ST	BTWN DAYTON RD & 9TH ST	NBI Bridge		83.3	Fair	1982	2	24	12.1	6096	2018	Off	Off	PPPPP
<a href="#">12C0412</a>	LINDO CHANNEL	HOLLY AVE	0.5 MI S OF W EAST AVE	NBI Bridge		80.2	Good	1996	3	25	12.1	4693	2018	On	Off	PPPPP
<a href="#">12C0422</a>	SYCAMORE CREEK TRIBUTARY	COHASSET RD	0.7 MI N/O EATON RD	NBI Bridge		79.0	Fair	2008	2	28	19.5	10300	2018	On	Off	PPPPP
<a href="#">12C0425</a>	CALIFORNIA PARK LAKES	LAKEWEST DRIVE	E OF BRUCE ROAD	NBI Bridge		80.1	Fair	1987	2	19	12.8	3024	2019	Off	Off	PPPPP
<a href="#">12C0429</a>	LTL CHC -BUT CR DIV CHAN	EAST 20TH STREET	0.35 MI E OF BRUCE ROAD	NBI Bridge		84.3	Fair	2009	2	22	12.1	2200	2015	Off	Off	PPPPP
<a href="#">12C0438</a>	SYCAMORE CREEK	WILDWOOD AVENUE	0.2 MI NE MANZANITA AVE	NBI Bridge		68.1	Good	1999	2	54	9.1	1654	2019	Off	Off	PPPPP